**Web**Results 1 - 60 of about 67 for user "log likelihood" estimation adder. (0.42 seconds)Refereed Publications of John A. GubnerAbstract: The **estimation** of the intensity function of an inhomogeneous Poisson... In the case of the noiseless mod-2 **adder** AVC using state constraint ...homepages.cae.wisc.edu/~gubner/papers.shtml - 27k - [Cached](#) - [Similar pages](#)[PDF] Efficient VLSI Architectures for Multiuser Channel **Estimation** in ...File Format: PDF/Adobe Acrobat - [View as HTML](#)The estimateY, that maximizes the **log likelihood**, sat- ... zation of multiuser channel **estimation** on a single user matched filter ...cmc.rice.edu/docs/docs/Raj2001Jul1EfficientV.pdf - [Similar pages](#)[PDF] D - DSP : AM , ASWAFile Format: PDF/Adobe Acrobat - [View as HTML](#)that maximizes the **log likelihood**, satisfies the following equation: ... **estimation**.

User K, Antenna 1. User K, Antenna T. User K ...

cmc.rice.edu/docs/docs/Raj2004Mar3Dataparall.pdf - [Similar pages](#)Winterschool 2005The capacity region of the binary **adder** channel (BAC) with feedback has been ...Iterative multi-user detection and time-variant channel **estimation** in a ...userver.ftw.at/winterschool/student.html - 32k - [Cached](#) - [Similar pages](#)[PDF] S. Denno: Recursive Vector Algorithm for Multibeam Interference ...

File Format: PDF/Adobe Acrobat

defined as the **log likelihood** of the probability density. function ... **estimation**.

This means the total performance strongly rely ...

www.docomoeurolabs.de/pdf/publications/WSL-viterbi_vtc_spring_03.pdf - [Similar pages](#)L-index... **log likelihood** ratio chi-square test "Computational Method" STAT; ... logos,

user-defined "Associating Your Own Logo and Icons with Your SAS/AF ...

gsbwww.uchicago.edu/computing/ research/SASManual/mindex/l-index.htm - 359k - [Cached](#) - [Similar pages](#)I-index

... CMS: converting earlier versions "Converting User-Written Informats from Earlier

... inverse Gaussian **log-likelihood** function: generalized linear models ...gsbwww.uchicago.edu/computing/ research/SASManual/mindex/i-index.htm - 323k - [Cached](#) - [Similar pages](#)[PDF] Transactions Briefs

File Format: PDF/Adobe Acrobat

is then followed by a maximum-likelihood **estimation** procedure that pro- ...increases the expected value of the **log-likelihood** (6) then the log-like- ...ieeexplore.ieee.org/iel5/ 92/29699/01350797.pdf?arnumber=1350797 - [Similar pages](#)[PDF] Recursive vector viterbi algorithm for multibeam interference ...

File Format: PDF/Adobe Acrobat

User Detection) separates user's signals which are superposed. at the top of ...be applied to the **estimation** of the transition sequence from ...ieeexplore.ieee.org/iel5/ 8574/27150/01207152.pdf?arnumber=1207152 - [Similar pages](#)[[More results from ieeexplore.ieee.org](#)]EP1287635








[Yahoo!](#) [My Yahoo!](#) [Mail](#) [Welcome, drjatorres](#) ([Sign Out](#), [My Account](#))

[Search Home](#) [Help](#)
YAHOO! SEARCH
[Web](#) [Images](#) [Video](#) [Directory](#) [Local](#) [News](#) [Products](#)

user "log likelihood" estimation adder

[My Web BETA](#)
[Shortcuts](#) [Advanced Search](#) [Preferences](#)
Search Results

 Results **1 - 9** of about **9** for **user "log likelihood" estimation adder** - 0.65 sec. ([About this page](#))

1. [Refereed Publications of John A. Gubner](#) 
 ... asymptotic distribution of the **log-likelihood** function for point processes ... Abstract: The **estimation** of the inter-arrival times of a point process ... [More from this site](#) - [Save](#) - [Block](#)
2. [Bandwidth Market, Ltd](#) 
 ... necessary, and communicated to a **user**. This digital transmission ... Maximum likelihood sequence **estimation** ... [More from this site](#) - [Save](#) - [Block](#)
3. <http://www.math.utah.edu:8080/pub/tex/bib/lncs1997b.twx> 
 %%= %% WARNING: Do NOT edit this file.
www.math.utah.edu:8080/pub/tex/bib/lncs1997b.twx - [More from this site](#) - [Save](#) - [Block](#)
4. <http://www.cse.ucsc.edu/research/reports/bibs.refer> 
 Two-cuts are defined for binary decision diagrams, and the relationship is exhibited between general if-then-else (if-then-else) expressions and binary decision diagrams. In order to reduce **user** effort, research in computer animation ... of the carry-skip **adder** ... [More from this site](#) - [Save](#) - [Block](#)
5. [Citations: VLSI architectures for turbo codes - Masera, Piccinini, Roch, Zamboni \(ResearchIndex\)](#)
 ... c;l) is an **estimation** of probability distribution of ... 4096 **user** bits. The number of bits used to represent the log-likelihood ratios ... [More from this site](#) - [Save](#) - [Block](#)
6. <http://www.ece.uiuc.edu/pubs/styledb/dbtable1.html> 
 Term or issue. Abbreviation/symbol. Notes. 8-14 modulation. EFM. abbreviations. Abbreviations for a single word or phrase. ... analysis-of-neighborhood-based wire length **estimation**. ANWLE ... CAP. carry-lookahead **adder** ... [More from this site](#) - [Save](#) - [Block](#)
7. [posted](#) 
 General treatment of the problem of coding Shannon, C.
www.eecs.berkeley.edu/~asarwate/Public/ITTrans.txt - [More from this site](#) - [Save](#) - [Block](#)
8. [Software Patents \(and other Patents\) Involving Crystallography \(Mainly trying to find relevant Software Patents\)](#)
 ... concerning structural validity to the **user**. The display of ... substantially continuously while the **user** modifies the structure ... [More from this site](#) - [Save](#) - [Block](#)
9. [Veroeffentlichungen/Publications](#)  - [Translate this page](#)
 ... Hagenauer, J.: **Log-likelihood** ratios, mutual information and EXIT ... codes for softbit source decoding: **Estimation of the log-likelihood ratios** ... [More from this site](#) - [Save](#) - [Block](#)

[Web](#) [Images](#) [Video](#) [Directory](#) [Local](#) [News](#) [Products](#)

Your Search: user "log likelihood" estimation adder



Basic Search

[Advanced Search](#) [Search Preferences](#)

user AND "log likelihood" AND estimation AND adder

Search

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:: All of the words: **user AND "log likelihood" AND estimation AND adder**

Found:: **:8 total | 0 journal results | 8 Web results**

Sort by:: **:relevance | date**

Save checked results

Email checked results








1. COHERENT DEMODULATION WITH DECISION-DIRECTED CHANNEL ESTIMATION FOR DIGITAL COMMUNICATION
SCHRAMM, Peter / HUBER, Johannes / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Mar 1998
...processor 20-2, and an **adder** 20- 3 would be provided...for a subsequent data **estimation** procedure (i.e., decision...The derivation of the **log-likelihood** ratio A[v]...such characteristic **log-likelihood** ratio curves. It will...
Full text available at patent office. For more in-depth searching go to LexisNexis
[similar results](#)
2. SYSTEM AND METHOD FOR THE DEMODULATION OF TURBO-ENCODED SIGNALS VIA PILOT ASSISTED COHERENT DEMODULATION
LING, Fuyun / SINDHUSHAYANA, Nagabhushana, T. / ESTEVES, Eduardo, A., S. / QUALCOMM INCORPORATED, PATENT COOPERATION TREATY APPLICATION, Nov 2000
...decoders use the **log-likelihood** ratio (LLR) for...corresponding **log-likelihood** values from all...interference **estimation** circuit estimates...signal. A noise **estimation** circuit provides...applied to the **log-likelihood** ratio via the...
Full text available at patent office. For more in-depth searching go to LexisNexis
[similar results](#)
3. COHERENT DEMODULATION AND SEQUENCE ESTIMATION FOR DIFFERENTIAL PSK SIGNALS
ARSLAN, Hü / seyin / BOTTOMLEY, Gregory, E. / RAMÉ / SH, Rajaram / ERICSSON, INC., PATENT COOPERATION TREATY APPLICATION, Mar 2000
...difference of **log likelihoods** of the bit value...invention, channel **estimation** refers to estimating...estimate are used in **likelihood** information generator...**likelihood** or **log-likelihood** functions...by taking the **log-likelihood** ratio of the probability...
Full text available at patent office. For more in-depth searching go to LexisNexis
[similar results](#)
4. Implementation and Performance of an Improved Turbo Decoder on a Configurable Computing Machine
Puckett, W. Bruce, Jul 2000
...45 4.3.3 **Adder** Module...51 4.5.2 **Log-MAP** Algorithm...structure and enhanced **Log-MAP** algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...
Full text thesis available via ND LTD
[similar results](#)

Refine you
using the
found in t
[decoding](#)

Or refine i

All of the


[refine](#)

-  **5. Implementation and performance of an improved turbo decoder on a configurable computing machine**
Puckett, W. Bruce., Jan 2000
...45 4.3.3 **Adder** Module...51 4.5.2 **Log-MAP** Algorithm...structure and enhanced **Log-MAP** algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...
Full text thesis available via NDLTD
[similar results](#)
-  **6. METHOD AND SYSTEM FOR THE TRANSMISSION, RECEPTION AND PROCESSING OF 4-LEVEL AND 8-LEVEL SIGNALING SYMBOLS**
DENT, Paul, W. / RAMESH, Rajaram / ERICSSON INC., *PATENT COOPERATION TREATY APPLICATION*, Jul 2000
A method and system for the transmission, reception, and processing of 4-level and 8-level signaling symbols is provided. An inventive modulator is provided for modulating 4-level signaling symbols using an 8-level modulator. Further, this inventive...
Full text available at patent office. For more in-depth searching go to  LexisNexis
[similar results](#)
-  **7. DATA TRANSMISSION METHOD, TRANSMITTER, AND RECEIVER**
HOTTINEN, Ari / LAAKSO, Timo / OJANPERÄ / , Tero / NOKIA MOBILE PHONES LTD., *PATENT COOPERATION TREATY APPLICATION*, Aug 1996
...same frequency band, and in which each **user** has at least one broad-band information...information channel capacity of at least one **user** differs from the capacity of the other...method, the narrow-band data signal of the **user** is multiplied to a relatively wide band...
Full text available at patent office. For more in-depth searching go to  LexisNexis
[similar results](#)
-  **8. ADAPTIVE SPREAD SPECTRUM RECEIVER**
FUKAWA, Kazuhiko / SUZUKI, Hiroshi / NTT MOBILE COMMUNICATIONS NETWORK INC., *EUROPEAN PATENT*, Mar 1996
...Therefore, even if each **user** despreads the received...combined together by an **adder** 15 into a combined signal...and outputs it as an **estimation** error E a coefficient...minimizes the square of the **estimation** error E. That is, the...output signal of the **adder** 15 becomes minimum. This...
Full text available at patent office. For more in-depth searching go to  LexisNexis
[similar results](#)

fast

[Test Zone](#) | [Toolbar](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2005



Basic Search

[Advanced Search](#) [Search Preferences](#)

user AND "log likelihood" AND estimation AND adder A

Search

☒ All journal sources ☒ All Web sources ☐ Exact phrase

Searched for:: All of the words: **user AND "log likellhood" AND estimation AND adder AND density**

Found:: **:5 total | 0 journal results | 5 Web results**

Sort by:: **:relevance | date**

Save checked results



Email checked results


Or refine

All of the

refine

1. **COHERENT DEMODULATION WITH DECISION-DIRECTED CHANNEL ESTIMATION FOR DIGITAL COMMUNICATION**
SCHRAMM, Peter / HUBER, Johannes / TELEFONAKTIEBOLAGET LM ERICSSON (publ), PATENT COOPERATION TREATY APPLICATION, Mar 1998
...processor 20-2, and an **adder** 20- 3 would be provided...for a subsequent data **estimation** procedure (i.e., decision...The derivation of the **log-likelihood** ratio A[v]...such characteristic **log-likelihood** ratio curves. It will...
Full text available at patent office. For more in-depth searching go to **LexisNexis**
[similar results](#)
2. **SYSTEM AND METHOD FOR THE DEMODULATION OF TURBO-ENCODED SIGNALS VIA PILOT ASSISTED COHERENT DEMODULATION**
LING, Fuyun / SINDHUSHAYANA, Nagabhushana, T. / ESTEVES, Eduardo, A., S. / QUALCOMM INCORPORATED, PATENT COOPERATION TREATY APPLICATION, Nov 2000
...decoders use the **log-likelihood** ratio (LLR) for...corresponding **log-likelihood** values from all...interference **estimation** circuit estimates...signal. A noise **estimation** circuit provides...applied to the **log-likelihood** ratio via the...
Full text available at patent office. For more in-depth searching go to **LexisNexis**
[similar results](#)
3. **Implementation and Performance of an Improved Turbo Decoder on a Configurable Computing Machine**
Puckett, W. Bruce, Jul 2000
...45 4.3.3 **Adder** Module...51 4.5.2 **Log**-MAP Algorithm...structure and enhanced **Log**-MAP algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...
Full text thesis available via ND LTD
[similar results](#)
4. **Implementation and performance of an improved turbo decoder on a configurable computing machine**
Puckett, W. Bruce., Jan 2000
...45 4.3.3 **Adder** Module...51 4.5.2 **Log**-MAP Algorithm...structure and enhanced **Log**-MAP algorithm...machine for the SLAAC1V **adder** module...machine for the Wildforce **adder** module...
Full text thesis available via ND LTD
[similar results](#)

-  **5. DATA TRANSMISSION METHOD, TRANSMITTER, AND RECEIVER**
HOTTINEN, Ari / LAAKSO, Timo / OJANPERÄ, Tero / NOKIA MOBILE PHONES LTD., PATENT COOPERATION TREATY APPLICATION, Aug 1996
...same frequency band, and in which each **user** has at least one broad-band information...information channel capacity of at least one **user** differs from the capacity of the other...method, the narrow-band data signal of the **user** is multiplied to a relatively wide band...
Full text available at patent office. For more in-depth searching go to  LexisNexis
[similar results](#)



[Test Zone](#) | [Toolbar](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Download Search Box](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2005



SCIENCE@DIRECT

[Register](#) or Login:

Password:

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

[Help](#)

Quick Search: within [All Full-text Sources](#) [Search Tips](#)

results **1 - 1**

1 Articles Found

user AND log likelihood AND estimation AND adder AND density

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

View: [Citations](#)

Sort By: [Date](#)

1. **Is corticosterone-mediated phenotype development adaptive? Maternal corticosterone treatment enhances survival in male lizards • ARTICLE**

Hormones and Behavior, Volume 48, Issue 1, June 2005, Pages 44-52

Sandrine Meylan and Jean Clobert

[Abstract](#)

1 Articles Found

user AND log likelihood AND estimation AND adder AND density

[Edit Search](#) | [Save Search](#) | [Save as Search Alert](#)

results **1 - 1**

[Home](#) [Search](#) [Journals](#) [Books](#) [Abstract Databases](#) [My Profile](#) [Alerts](#)

[Help](#)

[Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



Welcome United States Patent and Trademark Office

» Search Results

BROWSE

SEARCH


IEEE XPLORE GUIDE

SUPPORT

Results for "(log likelihood<in>metadata) <and> (probability density<in>metadata)"

Your search matched 17 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» [View Session History](#)» [New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

(log likelihood<in>metadata) <and> (probability density<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- ☐ 1. **Performance of various detectors in non-Gaussian noise and weak stochastic signal environment**
Godara, L.C.; Schultheiss, P.M.;
Acoustics, Speech, and Signal Processing, 1993. ICASSP-93., 1993 IEEE International Conference
Volume 4, 27-30 April 1993 Page(s):129 - 132 vol.4
[AbstractPlus](#) | Full Text: [PDF](#)(244 KB) IEEE CNF
- ☐ 2. **Further results in likelihood classification of QAM signals**
Long, C.S.; Chugg, K.M.; Polydoros, A.;
Military Communications Conference, 1994. MILCOM '94. Conference Record, 1994 IEEE
2-5 Oct. 1994 Page(s):57 - 61 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(420 KB) IEEE CNF
- ☐ 3. **Locally optimum Bayes detection in ergodic Markov noise**
Maras, A.M.;
Information Theory, IEEE Transactions on
Volume 40, Issue 1, Jan. 1994 Page(s):41 - 55
[AbstractPlus](#) | Full Text: [PDF](#)(1028 KB) IEEE JNL
- ☐ 4. **An analytical method for approximate performance evaluation of binary linear block codes**
Abedi, A.; Khandani, A.K.;
Communications, IEEE Transactions on
Volume 52, Issue 2, Feb. 2004 Page(s):228 - 235
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(296 KB) IEEE JNL
- ☐ 5. **The PDF projection theorem and the class-specific method**
Baggenstoss, P.M.;
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]
Volume 51, Issue 3, March 2003 Page(s):672 - 685
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(915 KB) IEEE JNL
- ☐ 6. **Asymptotic distributions for the performance analysis of hypothesis testing of isolated-pc penalization point processes**
Hayat, M.M.; Gubner, J.A.; Abdullah, S.;
Information Theory, IEEE Transactions on
Volume 45, Issue 1, Jan. 1999 Page(s):177 - 187
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(416 KB) IEEE JNL
- ☐ 7. **Automatic classification of QAM signals in fading channel**
Taira, S.;

Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo. 2000 IEEE 51st Volume 3, 15-18 May 2000 Page(s):1717 - 1721 vol.3

[AbstractPlus](#) | Full Text: [PDF\(340 KB\)](#) IEEE CNF

- ☐ **8. Theoretical performance analysis and simulation of a GLRT tonal detector**
Qing Wang; Chunru Wan; Joo Thiam Goh;
OCEANS, 2001. MTS/IEEE Conference and Exhibition
Volume 3, 5-8 Nov. 2001 Page(s):1654 - 1659 vol.3
[AbstractPlus](#) | Full Text: [PDF\(372 KB\)](#) IEEE CNF

- ☐ **9. An undecimated wavelet transform based denoising, PPCA based pulse modeling and detection classification of PD signals**
Shetty, P.K.; Ramu, T.S.;
Pattern Recognition, 2004. ICPR 2004. Proceedings of the 17th International Conference on
Volume 4, 23-26 Aug. 2004 Page(s):873 - 876 Vol.4
[AbstractPlus](#) | Full Text: [PDF\(592 KB\)](#) IEEE CNF

- ☐ **10. Single channel signal separation using MAP-based subspace decomposition**
Gil-Jin Jang; Te-Won Lee; Yung-Hwan Oh;
Electronics Letters
Volume 39, Issue 24, 27 Nov. 2003 Page(s):1766 - 1767
[AbstractPlus](#) | Full Text: [PDF\(191 KB\)](#) IEEE JNL

- ☐ **11. Low-SNR asymptote of CRB on SNR estimates for BPSK in Nakagami-m fading channels with diversity combining**
Ertas, T.; Dilaveroglu, E.;
Electronics Letters
Volume 39, Issue 23, 13 Nov. 2003 Page(s):1680-2
[AbstractPlus](#) | Full Text: [PDF\(197 KB\)](#) IEEE JNL

- ☐ **12. Simultaneous hyperparameter estimation and Bayesian image reconstruction for PET**
Zhenyu Zhou; Leahy, R.M.; Mumcuoglu, E.U.;
Nuclear Science Symposium and Medical Imaging Conference, 1994., 1994 IEEE Conference R
Volume 4, 30 Oct.-5 Nov. 1994 Page(s):1604 - 1608 vol.4
[AbstractPlus](#) | Full Text: [PDF\(424 KB\)](#) IEEE CNF

- ☐ **13. Time-adaptive pattern recognition and prediction for situational robustness**
Kil, D.H.; Shin, F.B.;
OCEANS '97. MTS/IEEE Conference Proceedings
Volume 2, 6-9 Oct. 1997 Page(s):773 - 778 vol.2
[AbstractPlus](#) | Full Text: [PDF\(452 KB\)](#) IEEE CNF

- ☐ **14. Initializing normal mixtures of densities**
Grim, J.; Novovicova, J.; Pudil, P.; Somol, P.; Ferri, F.J.;
Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on
Volume 1, 16-20 Aug. 1998 Page(s):886 - 890 vol.1
[AbstractPlus](#) | Full Text: [PDF\(224 KB\)](#) IEEE CNF

- ☐ **15. An online algorithm for blind source separation with Gaussian mixture model**
Ohata, M.; Tokunari, T.; Matsuoka, K.;
Adaptive Systems for Signal Processing, Communications, and Control Symposium 2000. AS-SI
The IEEE 2000
1-4 Oct. 2000 Page(s):375 - 378
[AbstractPlus](#) | Full Text: [PDF\(304 KB\)](#) IEEE CNF

- ☐ **16. On model selection and concavity for finite mixture models**
Cadez, I.V.; Smyth, P.;
Information Theory, 2000. Proceedings. IEEE International Symposium on
25-30 June 2000 Page(s):323
[AbstractPlus](#) | Full Text: [PDF\(84 KB\)](#) IEEE CNF

- ☐ 17. On the use of X^2 -test in signal detection
Zhang, Q.; Yip, P.;
Acoustics, Speech, and Signal Processing, IEEE International Conference on ICASSP '87,
Volume 12, Apr 1987 Page(s):1111 - 1114
[AbstractPlus](#) | Full Text: [PDF](#)(120 KB) IEEE CNF

View Selected Items

indexed by
 Inspec*

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE****SUPPORT**

Results for "(log likelihood<in>metadata) <and> (probability density<in>metadata) <and>..."

[e-mail](#) [print](#)

Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)**Modify Search**[» Key](#) IEEE JNL IEEE Journal or
Magazine☐ Check to search only within this results setIEE JNL IEE Journal or
Magazine**Display Format:** ☒ Citation ☐ Citation & AbstractIEEE CNF IEEE Conference
ProceedingIEE CNF IEE Conference
Proceeding**No results were found.**

IEEE STD IEEE Standard

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)


© Copyright 2005 IEEE – All Rights



Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(log likelihood<in>metadata) <and> (probability density<in>metadata) <and>g..."



Your search matched 0 of 1168854 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

[» View Session History](#)[» New Search](#)[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search

 ☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your se

[Help](#) [Contact Us](#) [Privacy & Security](#)

© Copyright 2005 IEEE – All Rights

Search Results

□\$B"#□(B Search of Full Paper

Word count: [user: 2537] { [log: 876] [likelihood: 720] :: 55 } [estimation: 2838] [adder: 304]

No match.

Search String: user "log likelihood" estimation adder

Next Search

[how to search](#)

SEARCH

This search system is powered by Namazu v1.3.0.6

All Rights Reserved, Copyright (c) 1999 The Institute of Electronics, Information and Communication Engineers